

Supplemental References

- S1. Kamijo, R., Harada, H., Matsuyama, T., Bosland, M., Gerecitano, J., Shapiro, D., Le, J., Koh, S.I., Kimura, T., and Green, S.J. (1994). Requirement for transcription factor IRF-1 in NO synthase induction in macrophages. *Science* 263, 1612–1615. 10.1126/science.7510419.
- S2. Cooper, A.M., Pearl, J.E., Brooks, J.V., Ehlers, S., and Orme, I.M. (2000). Expression of the nitric oxide synthase 2 gene is not essential for early control of *Mycobacterium tuberculosis* in the murine lung. *Infect Immun* 68, 6879–6882. 10.1128/iai.68.12.6879-6882.2000.
- S3. Yamada, H., Mizuno, S., and Sugawara, I. (2002). Interferon regulatory factor 1 in mycobacterial infection. *Microbiol Immunol* 46, 751–760. 10.1111/j.1348-0421.2002.tb02760.x.
- S4. Aly, S., Mages, J., Reiling, N., Kalinke, U., Decker, T., Lang, R., and Ehlers, S. (2009). *Mycobacteria*-induced granuloma necrosis depends on IRF-1. *J Cell Mol Med* 13, 2069–2082. 10.1111/j.1582-4934.2008.00470.x.
- S5. Fehr, T., Schoedon, G., Odermatt, B., Holtschke, T., Schneemann, M., Bachmann, M.F., Mak, T.W., Horak, I., and Zinkernagel, R.M. (1997). Crucial role of interferon consensus sequence binding protein, but neither of interferon regulatory factor 1 nor of nitric oxide synthesis for protection against murine listeriosis. *J Exp Med* 185, 921–931. 10.1084/jem.185.5.921.
- S6. Ko, J., Gendron-Fitzpatrick, A., and Splitter, G.A. (2002). Susceptibility of IFN regulatory factor-1 and IFN consensus sequence binding protein-deficient mice to brucellosis. *J Immunol* 168, 2433–2440. 10.4049/jimmunol.168.5.2433.
- S7. Lohoff, M., Ferrick, D., Mittrucker, H.W., Duncan, G.S., Bischof, S., Rollinghoff, M., and Mak, T.W. (1997). Interferon regulatory factor-1 is required for a T helper 1 immune response in vivo. *Immunity* 6, 681–689. 10.1016/s1074-7613(00)80444-6.
- S8. Man, S.M., Karki, R., Malireddi, R.K., Neale, G., Vogel, P., Yamamoto, M., Lamkanfi, M., and Kanneganti, T.D. (2015). The transcription factor IRF1 and guanylate-binding proteins target activation of the AIM2 inflammasome by *Francisella* infection. *Nature immunology* 16, 467–475. 10.1038/ni.3118.
- S9. Sommer, F., Faller, G., Röllinghoff, M., Kirchner, T., Mak, T.W., and Lohoff, M. (2001). Lack of gastritis and of an adaptive immune response in interferon regulatory factor-1-deficient mice infected with *Helicobacter pylori*. *Eur J Immunol* 31, 396–402. 10.1002/1521-4141(200102)31:2<396::aid-immu396>3.0.co;2-y.
- S10. Brien, J.D., Daffis, S., Lazear, H.M., Cho, H., Suthar, M.S., Gale, M., and Diamond, M.S. (2011). Interferon regulatory factor-1 (IRF-1) shapes both innate and CD8(+) T cell immune responses against West Nile virus infection. *PLoS pathogens* 7, e1002230. 10.1371/journal.ppat.1002230.
- S11. Nair, S., Michaelsen-Preusse, K., Finsterbusch, K., Stegemann-Koniszewski, S., Bruder, D., Grashoff, M., Korte, M., Koster, M., Kalinke, U., Hauser, H., et al. (2014). Interferon regulatory factor-1 protects from fatal neurotropic infection with vesicular stomatitis virus by specific inhibition of viral replication in neurons. *PLoS pathogens* 10, e1003999. 10.1371/journal.ppat.1003999.
- S12. Mboko, W.P., Rekow, M.M., Ledwith, M.P., Lange, P.T., Schmitz, K.E., Anderson, S., and Tarakanova, V.L. (2017). Interferon Regulatory Factor 1 and Type I Interferon Cooperate To Control Acute Gammaherpesvirus Infection. *J Virol* 91, e01444-16. 10.1128/JVI.01444-16.
- S13. Kimura, T., Nakayama, K., Penninger, J., Kitagawa, M., Harada, H., Matsuyama, T., Tanaka, N., Kamijo, R., Vilcek, J., Mak, T.W., et al. (1994). Involvement of the IRF-1

- transcription factor in antiviral responses to interferons. *Science* 264, 1921–1924. 10.1126/science.8009222.
- S14. Kuriakose, T., Zheng, M., Neale, G., and Kanneganti, T.-D. (2018). IRF1 Is a Transcriptional Regulator of ZBP1 Promoting NLRP3 Inflammasome Activation and Cell Death during Influenza Virus Infection. *J Immunol* 200, 1489–1495. 10.4049/jimmunol.1701538.
- S15. Nair, S., Poddar, S., Shimak, R.M., and Diamond, M.S. (2017). Interferon Regulatory Factor 1 Protects against Chikungunya Virus-Induced Immunopathology by Restricting Infection in Muscle Cells. *Journal of Virology* 91, e01419-17. 10.1128/JVI.01419-17.
- S16. Maloney, N.S., Thackray, L.B., Goel, G., Hwang, S., Duan, E., Vachharajani, P., Xavier, R., and Virgin, H.W. (2012). Essential cell-autonomous role for interferon (IFN) regulatory factor 1 in IFN- γ -mediated inhibition of norovirus replication in macrophages. *J Virol* 86, 12655–12664. 10.1128/JVI.01564-12.
- S17. Kimura, T., Flynn, C.T., and Whitton, J.L. (2020). Hepatocytes trap and silence coxsackieviruses, protecting against systemic disease in mice. *Commun Biol* 3, 580. 10.1038/s42003-020-01303-7.
- S18. Panchanathan, V., Chaudhri, G., and Karupiah, G. (2005). Interferon function is not required for recovery from a secondary poxvirus infection. *Proc Natl Acad Sci U S A* 102, 12921–12926. 10.1073/pnas.0505180102.
- S19. Yamane, D., Feng, H., Rivera-Serrano, E.E., Selitsky, S.R., Hirai-Yuki, A., Das, A., McKnight, K.L., Misumi, I., Hensley, L., Lovell, W., et al. (2019). Basal expression of interferon regulatory factor 1 drives intrinsic hepatocyte resistance to multiple RNA viruses. *Nature Microbiology* 4, 1096–1104. 10.1038/s41564-019-0425-6.
- S20. Khan, I.A., Matsuura, T., Fonseka, S., and Kasper, L.H. (1996). Production of nitric oxide (NO) is not essential for protection against acute *Toxoplasma gondii* infection in IRF-1 $^{-/-}$ mice. *J Immunol* 156, 636–643. 10.4049/jimmunol.156.2.636.
- S21. Gun, S.Y., Claser, C., Teo, T.H., Howland, S.W., Poh, C.M., Chye, R.R.Y., Ng, L.F.P., and Rénia, L. (2018). Interferon regulatory factor 1 is essential for pathogenic CD8 $^{+}$ T cell migration and retention in the brain during experimental cerebral malaria. *Cell Microbiol* 20, e12819. 10.1111/cmi.12819.
- S22. Senaldi, G., Shaklee, C.L., Guo, J., Martin, L., Boone, T., Mak, T.W., and Ulich, T.R. (1999). Protection against the mortality associated with disease models mediated by TNF and IFN- γ in mice lacking IFN regulatory factor-1. *J Immunol* 163, 6820–6826. 10.4049/jimmunol.163.12.6820.
- S23. Taki, S., Sato, T., Ogasawara, K., Fukuda, T., Sato, M., Hida, S., Suzuki, G., Mitsuyama, M., Shin, E.H., Kojima, S., et al. (1997). Multistage regulation of Th1-type immune responses by the transcription factor IRF-1. *Immunity* 6, 673–679. 10.1016/s1074-7613(00)80443-4.
- S24. McElligott, D.L., Phillips, J.A., Stillman, C.A., Koch, R.J., Mosier, D.E., and Hobbs, M.V. (1997). CD4 $^{+}$ T cells from IRF-1-deficient mice exhibit altered patterns of cytokine expression and cell subset homeostasis. *J Immunol* 159, 4180–4186. 10.4049/jimmunol.159.9.4180.
- S25. Kano, S., Sato, K., Morishita, Y., Vollstedt, S., Kim, S., Bishop, K., Honda, K., Kubo, M., and Taniguchi, T. (2008). The contribution of transcription factor IRF1 to the interferon- γ -interleukin 12 signaling axis and TH1 versus TH-17 differentiation of CD4 $^{+}$ T cells. *Nat Immunol* 9, 34–41. 10.1038/ni1538.
- S26. Liu, J., Cao, S., Herman, L.M., and Ma, X. (2003). Differential regulation of interleukin (IL)-12 p35 and p40 gene expression and interferon (IFN)- γ -primed IL-12 production by IFN regulatory factor 1. *J Exp Med* 198, 1265–1276. 10.1084/jem.20030026.

- S27. Fragale, A., Gabriele, L., Stellacci, E., Borghi, P., Perrotti, E., Ilari, R., Lanciotti, A., Remoli, A.L., Venditti, M., Belardelli, F., et al. (2008). IFN regulatory factor-1 negatively regulates CD4⁺ CD25⁺ regulatory T cell differentiation by repressing Foxp3 expression. *J Immunol* 181, 1673–1682. 10.4049/jimmunol.181.3.1673.
- S28. Penninger, J.M., Sirard, C., Mittrucker, H.W., Chidgey, A., Kozieradzki, I., Nghiem, M., Hakem, A., Kimura, T., Timms, E., Boyd, R., et al. (1997). The interferon regulatory transcription factor IRF-1 controls positive and negative selection of CD8⁺ thymocytes. *Immunity* 7, 243–254. 10.1016/s1074-7613(00)80527-0.
- S29. Ohteki, T., Yoshida, H., Matsuyama, T., Duncan, G.S., Mak, T.W., and Ohashi, P.S. (1998). The transcription factor interferon regulatory factor 1 (IRF-1) is important during the maturation of natural killer 1.1⁺ T cell receptor-alpha/beta⁺ (NK1⁺ T) cells, natural killer cells, and intestinal intraepithelial T cells. *The Journal of Experimental Medicine* 187, 967–972. 10.1084/jem.187.6.967.
- S30. Matsuyama, T., Kimura, T., Kitagawa, M., Pfeffer, K., Kawakami, T., Watanabe, N., Kundig, T.M., Amakawa, R., Kishihara, K., Wakeham, A., et al. (1993). Targeted disruption of IRF-1 or IRF-2 results in abnormal type I IFN gene induction and aberrant lymphocyte development. *Cell* 75, 83–97. 10.1093/nar/23.12.2127.
- S31. Testa, U., Stellacci, E., Pelosi, E., Sestili, P., Venditti, M., Orsatti, R., Fragale, A., Petrucci, E., Pasquini, L., Belardelli, F., et al. (2004). Impaired myelopoiesis in mice devoid of interferon regulatory factor 1. *Leukemia* 18, 1864–1871. 10.1038/sj.leu.2403472.
- S32. Ogasawara, K., Hida, S., Azimi, N., Tagaya, Y., Sato, T., Yokochi-Fukuda, T., Waldmann, T.A., Taniguchi, T., and Taki, S. (1998). Requirement for IRF-1 in the microenvironment supporting development of natural killer cells. *Nature* 391, 700–703. 10.1038/35636.
- S33. Duncan, G.S., Mittrücker, H.W., Kägi, D., Matsuyama, T., and Mak, T.W. (1996). The transcription factor interferon regulatory factor-1 is essential for natural killer cell function in vivo. *J Exp Med* 184, 2043–2048. 10.1084/jem.184.5.2043.
- S34. Gabriele, L., Fragale, A., Borghi, P., Sestili, P., Stellacci, E., Venditti, M., Schiavoni, G., Sanchez, M., Belardelli, F., and Battistini, A. (2006). IRF-1 deficiency skews the differentiation of dendritic cells toward plasmacytoid and tolerogenic features. *J Leukoc Biol* 80, 1500–1511. 10.1189/jlb.0406246.
- S35. Honda, K., Yanai, H., Negishi, H., Asagiri, M., Sato, M., Mizutani, T., Shimada, N., Ohba, Y., Takaoka, A., Yoshida, N., et al. (2005). IRF-7 is the master regulator of type-I interferon-dependent immune responses. *Nature* 434, 772–777. 10.1038/nature03464.
- S36. Tomasello, E., Naciri, K., Chelbi, R., Bessou, G., Fries, A., Gressier, E., Abbas, A., Pollet, E., Pierre, P., Lawrence, T., et al. (2018). Molecular dissection of plasmacytoid dendritic cell activation in vivo during a viral infection. *EMBO J* 37, e98836. 10.15252/embj.201798836.